



PLAN VIEW ACUTE OUTSIDE CORNER 71-89 DEGREES




PLAN VIEW OBTUSE INSIDE CORNER 90-180 DEGREES




PLAN VIEW ACUTE INSIDE CORNER 90 DEGREES AND LESS (MINIMUM ANGLE 45°)


ALL GEOGRID MUST BE 100% OVER COUNTERFORT AND EXTEND TO BACK OF PANEL AND VERTICAL FOR 4" GEOGRID 100% COVERAGE UNLESS SPECIFIED OTHERWISE.



PLAN VIEW ORTHOGONAL OUTSIDE CORNER 90 DEGREE



PLAN VIEW OBTUSE OUTSIDE CORNER 90-180 DEGREES



PLAN VIEW ORTHOGONAL INSIDE CORNER 90 DEGREE

3" OF BACK FILL BETWEEN LAPPED GEOGRID

3" OF BACK FILL BETWEEN LAPPED GEOGRID

LOGK+LOADTM
 RETAINING WALL SYSTEMS
 1881 CHESTNUT STREET, SUITE 400, VANCOUVER, B.C. V6J 4M6
 Tel: (604) 732-5999 Fax: (604) 731-1140
 Web site: www.logk-load.com

DRAWING TITLE: GEO GRID INSTALLATION
 TYPICAL DETAILS

DESIGNED BY	KJA	DATE	01/06/12
APPROVED BY	RC/DA	PREPARED FOR	
SCALE	N.T.S.	OUR PROJECT NUMBER	
		OUR DRAWING NUMBER	LL-WSDOT-3-GRID LAYOUT
		CUSTOMER DRAWING	

REV #	DESCRIPTION	DATE